

Maruthi Pediatrics

110 Lattner Court
Suite 100
Morrisville NC-27560
Ph: 919-462-6206 Fax: 206-350-4492
After hours service Ph: 1-866-629-0269
www.maruthipediatrics.com

Well Child Care at 4 Years

Nutrition

Your child should always be a part of the family at mealtime. This should be a pleasant time for the family to be together and share stories and experiences. Give small portions of food to your child. If he is still hungry, let him have seconds. Selecting foods from all food groups (meat, dairy, grains, fruits, and vegetables) is a good way to provide a balanced diet. Choose and eat healthy snacks such as cheese, fruit, or yogurt. Televisions should never be on during mealtime.

Development

At this age children usually become more cooperative in their play with other children. They are curious and imaginative.

Allow privacy while your child is changing clothes or using the bathroom. When your child starts wanting privacy on his own, let him know that you think this is good.

Behavior Control

Breaking rules occasionally occurs at this age. Making children stand in a corner by themselves for 4 minutes is usually an effective way to correct the undesirable behavior. This technique is called time-out. If you have questions about behavior, ask your doctor.

Reading and Electronic Media

It is important to set rules about television watching. Limit total TV time to no more than 1 hour per day. Children should not be allowed to watch shows with violence or sexual behaviors. Watch TV with your child and discuss the shows. Find other activities you can do with your child. Reading, hobbies, and physical activities are good alternatives to TV.

Dental Care

Your child should be seen by a dentist every 6 months or as often as the dentist recommends. You can also help your child by following these tips:

- Avoid sugary foods and to help prevent cavities. Brushing teeth regularly after meals is important. Make sure that your child flosses once each day.

- Talk with your healthcare provider or dentist if your child still sucks a finger or pacifier, or still uses a sippy cup. These habits can cause problems with permanent teeth.
- Ask your dentist if sealants should be applied to some of your child's teeth. Sealants are plastic coatings put on the chewing surface of the molar teeth to help prevent tooth decay.

Safety Tips

Keep your child away from knives, power tools, or mowers.

Fires and Burns

- Practice a fire escape plan.
- Check smoke detectors and replace the batteries as needed.
- Keep a fire extinguisher in or near the kitchen.
- Teach your child to never play with matches or lighters.
- Teach your child emergency phone numbers and to leave the house if fire breaks out.
- Turn your water heater down to 120°F (50°C).

Car Safety

- Never leave your child alone in a car.
- Everyone in a car must always wear seat belts or be in an appropriate booster seat or car seat.

Pedestrian and Bicycle Safety

- Teach your child to never ride a tricycle or bicycle in the street.
- All family members should use a bicycle helmet, even when riding a tricycle.
- It is much too early to expect a child to look both ways before crossing the street. Supervise all street crossing.

Poisoning

- Teach your child to never take medicines without supervision and not to eat unknown substances.
- Put the poison center number on all phones.
- Do not put anything that could be poisonous into drink bottles, glasses, or jars.

Strangers

- Teach your child the first and last names of family members.
- Teach your child to never go anywhere with a stranger.
- Teach your child that no adult should tell a child to keep secrets from parents, no adult should show interest in private parts, and no adult should ask a child for help with private parts.

Smoking

- Children who live in a house where someone smokes have more respiratory infections. Their symptoms are also more severe and last longer than those of children who live in a smoke-free home.
- If you smoke, set a quit date and stop. Set a good example for your child. If you cannot quit, do NOT smoke in the house or near children.
- Teach your child that even though smoking is unhealthy, he should be civil and polite when he is around people who smoke.

Immunizations

Your child will probably receive shots such as:

- DTaP (diphtheria, acellular pertussis/whooping cough, tetanus) shot
- measles, mumps, rubella (MMR)
- chickenpox (varicella)
- polio vaccine.

An annual influenza shot is recommended for children up until 18 years of age. After a shot your child may run a fever and become irritable for about 1 day. Your child may also have some soreness, redness, and swelling where a shot was given.

For fever, give your child an appropriate dose of acetaminophen. For swelling or soreness, put a wet, warm washcloth on the area of the shot as often and as long as needed for comfort.

Call your child's healthcare provider immediately if:

- Your child has a fever over 105°F (40.5°C).
- Your child has a severe allergic reaction beginning within 2 hours of the shot (for example, hives, wheezing or noisy breathing, swelling of the mouth or throat).
- Your child has any other unusual reaction.

Next Visit

A once-a-year check-up is recommended. Be sure to check your child's shot records before starting school to make sure he or she has all the required vaccinations.

DENTIST

LITTLE SMILES DENTAL
3735 DAVIS DRIVE
SUITE 125
MORRISVILLE, NC 27560
919-439-9998
ACCEPT MCD

ELITE SMILES
3548 DAVIS DRIVE
MORRISVILLE, NC 27560
919-388-0137

SERENE SMILES DENTISTRY
600 GATHERING PARK CIRCLE
SUITE 102
CARY, NC 27519
919-460-7025

HIGH HOUSE PEDIATRIC DENTISTRY
351 WELLESLEY TRADE LANE
SUITE 211
CARY, NC 27519

EYE DOCTOR

Wake Family Eye Care
155 Parkway Office Court
Suite 105
Cary, NC 27518
919.859.0777

My Eye Dr
3603 Davis Drive
Suite 100
919.234.4888

